

APPENDIX B: EXCAVATION UNIT LOG.

Excavation Unit Log

(All depths below datum line at SW corner of all excavated units unless otherwise noted. All measurements in 1/10's of feet.)

Cabin Interior

N7985/E8025

Lot 20 Stratum 1 (0-0.32')
SOIL: 10YR 7/6 Silty Clay, hard packed clay floor, w/
roots, leaves.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 21 Stratum 2 (0.32-0.56')
SOIL: 10YR 6/4 Fine Sandy Silt, mottled with 10YR 4/2
Sandy Silt, mixed with 50% bone and building
rubble. *check*
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 24 Stratum 3 (0.56-0.94')
SOIL: 10YR 7/4 (dry)/10YR 5/4 (wet), very dry, hard
packed, silty clay.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 25 Stratum 4 (0.94-1.47')
SOIL: 10YR 5/3 Silty Clay with gravels, sands and clays.
Subsoil.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

South end of Structure.

N7980/E8035

Lot 11 Stratum 1 (0.25' above datum-0.23' above datum)
SOIL: 10YR 3/2 Fine sandy loam/topsoil.
ARTIFACTS: No.
COMMENTS: Natural stratigraphic level.

Lot 12 Stratum 2 (0.23' a.d.-0.11' b.d.)
SOIL: 10YR 4/2 sandy loam mottled with 10YR 3/2 fine
sandy loam with roots and gravel, and flecks of
mortar in west half of unit.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 13 Stratum 2B (0.11' b.d.-0.33')
SOIL: 10YR 5/3 silty loam with sand and gravel, compact.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 14 Stratum 3 (0.33-0.74')
SOIL: 10YR 6/1 sandy clay mottled with 10YR 4/2 sand with clay, containing scattered gravel.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 15 Stratum 4 (0.11' b.d.-0.13' b.d.)
SOIL: 10YR 4/2 compact silty clay with sand lens below stratum 2.
ARTIFACTS: No.
COMMENTS: Natural stratigraphic level.

Lot 16 Stratum 5 (0.13'-0.33')
SOIL: 10YR 5/6 sandy clay mottled with 10YR 7/2 silty clay with fine sand, and with 10YR 3/3 clay with sand. Mottled, compact clay lens with gravel.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 17 Stratum 6 (0.64'-0.84')
SOIL: 10YR 4/2 sandy clayey silt with 5% gravel. Rodent burrow.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Stratum 7 (0.78'-1.29')
SOIL: 10YR 5/3 sand mottled with 10YR 6/4 clay containing scattered brick, mortar and oyster shell. Lens of soil, brick, and oyster shell fragments above and within stratum 8.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 18 Stratum 8 (0.84'-0.96')
SOIL: 10YR 4/4 clay loam mottled with 10% 10YR 5/4 silty clay, and with 7.5YR 3/4 fine sand (decomposed sandstone), 2% 10YR 5/8 clay. Within this stratum are gravel and sandy lenses, and scattered charcoal fragments.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 19 Stratum 9 (0.96-1.15')
SOIL: 10YR 4/6 sandy clay containing gravel, mottled with 15% 10YR 5/6 clay containing flecks of charcoal.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

N7980/E8030
Lot 20 Stratum 1 (0.29' b.d.-0.45' b.d.)

SOIL: 10YR 3/2 Fine sandy loam/topsoil.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 6 Stratum 2 (0.45'-0.92')
SOIL: 10YR 4/2 sandy loam with roots and gravel, and flecks of mortar.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 7 Stratum 3 (0.92-1.55')
SOIL: 10YR 6/1 sandy clay mottled with 10YR 4/2 sand with clay, containing scattered gravel. Within this stratum is a small lens of 7.5YR 5/8 sand with clay (decomposed sandstone).
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 8 Stratum 7 (1.55'-2.18')
SOIL: 10YR 5/3 sand mottled with 10YR 6/4 clay containing scattered brick, mortar and oyster shell. Lens of soil, brick, and oyster shell fragments above and within stratum 8.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 9 Stratum 8 (2.18'-2.21')
SOIL: 10YR 4/4 clay loam mottled with 10% 10YR 5/4 silty clay, and with 7.5YR 3/4 fine sand (decomposed sandstone), 2% 10YR 5/8 clay. Within this stratum are gravel and sandy lenses, and scattered charcoal fragments.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

N7975/E8030

Lot 1 Stratum 1 (0.55' b.d.-0.57' b.d.)
SOIL: 10YR 3/2 Fine sandy loam/topsoil with roots, leaves, and gravel.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 2 Stratum 2 (0.57'-0.62')
SOIL: 10YR 4/2 sandy loam with roots and gravel, and flecks of mortar.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 3 Stratum 3 (0.62-0.89')
SOIL: 10YR 6/1 sandy clay mottled with 10YR 4/2 sand with clay, containing scattered gravel.

ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 4 Stratum 8 (0.89-1.67')
SOIL: 10YR 4/4 clay loam mottled with 10% 10YR 5/4 silty clay, and with 7.5YR 3/4 fine sand (decomposed sandstone), 2% 10YR 5/8 clay. Within this stratum are gravel and sandy lenses, and scattered charcoal fragments.

ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

East side of Structure.

N7995/E8035

Lot 33 Stratum 1 (0.05' b.d.-0.15' b.d.)
SOIL: 10YR 3/2 silty loam containing scattered nails.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 34 Stratum 2 (0.15'-0.32')
SOIL: 10YR 3/3 sandy clay loam mottled with 10% 10YR 3/1 silty loam and 15% 2.5Y5/2 fine sand containing nails.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 35 Stratum 3 (0.32'-0.53')
SOIL: 10YR 5/2 sandy clay mottled with 15% 10YR 5/3 sand and 5% 10YR 5/6 clay containing 20-25% gravel, roots.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 36 Stratum 4 (eastern half of unit.)
SOIL: 10YR 5/2 sandy clay mottled with 25% 10YR 5/6 clay, 20% 10YR 7/2 sandy clay, and 5% 10YR 3/2 loam containing oyster shell.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

North end of Structure.

N8000/E8025

Lot 37 Stratum 1 ()
SOIL: 10YR 3/2 silty sand with 70% gravel, mottled with 10YR 4/2 sand with silt. Only 0.05' topsoil development on 3/4 of southern portion of unit.

Lot 38 Stratum 2

SOIL: 10YR 3/2 sandy silt with 80% gravel, very compact.
ARTIFACTS: No.
COMMENTS: Natural stratigraphic level.

Lot 39 Stratum 3
SOIL: 2.5Y 4/2 clay with coarse sand. Thin lens against brick foundation.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Stratum 4
SOIL: 2.5Y 6/2 clay mottled with 25% 2.5Y 6/6 sand. Thin lens against brick foundation.
ARTIFACTS: No.
COMMENTS: Natural stratigraphic level.

Lot 40 Stratum 5
SOIL: 2.5Y 4/2 sandy clay mottled with 10% 10YR 5/3 sandy clay, with 5% 10YR 5/6 clay, and with 20% 2.5Y 6/2 clay, and with gravel in all soils.
ARTIFACTS: No.
COMMENTS: Natural stratigraphic level.

Lot 41 Stratum 6
SOIL: Alternating bands of sands: 10YR 3/3 fine silty sand, 10YR 6/4 sand with gravel, 10YR 6/2 silt.
ARTIFACTS: No.
COMMENTS: Natural stratigraphic level.

Lot 42 Stratum 7
SOIL: 10YR 3/3 sandy clay with unsorted gravel, interspersed with a thin layer of compact gravel.
ARTIFACTS: No.
COMMENTS: Natural stratigraphic level.

Lot 43 Stratum 8
SOIL: 10YR 6/2 sandy clay mottled with 10YR 5/4 sand and 10% 5YR 4/6 sand.

West side of structure.
N7995/E8015

Lot 26 Stratum 1
SOIL: 10YR 3/1 loam with gravel.
ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 27 Stratum 2
SOIL: 10YR 3/2 silty loam with scattered gravel and oyster shell.

ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 28 Stratum 3
SOIL: 10YR 3/2 sandy loam containing whole oyster shells.

ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Lot 29 Stratum 4
2.5Y 4/2 sandy loam and 2.5 Y4/4 clay loam with gravel, oyster shell and brick fragments.

ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

Stratum 5
10YR 7/1 clay mottled with 25% 10YR 3/1 silty clay, and 25% 10YR 4/4 silty clay.

ARTIFACTS: Yes. See artifact catalog.
COMMENTS: Natural stratigraphic level.

APPENDIX A: SHOVEL TEST PIT LOG.

(All depths below ground surface of Shovel test pits unless otherwise noted. All measurements in 1/10's of feet.)

Test	Depth	Munsell	Sediments	Comments
Lot 45 West Transect. N7990/E8005	0-.40'	10YR 2/1	Silty Loam w/ fine Sand	Artifacts
	0.40-.59'	10YR 4/2	Clay w/Gravel	
	0.59-1.15'	10YR 6/3 7.5YR5/8	Sandy Clay w/ 10% Clay	
Lot 44 N8000/E8005	0-.22'	10YR 2/1	Silty Loam w/fine Sand	Artifacts
	0.22-.80'	10YR 5/4 10YR 6/2	Sandy Clay w/ 10% Clay	
	0.80-1.10'	10YR 6/2 10YR 5/4	Clay w/ 10% Sandy Clay	
	1.10-1.45'	10YR 5/4	Clayey Sand	
Lot 46 N7980/E8015	0-0.45'	10YR 2/1	Silty Clay w/ very fine Sand	Artifacts
	0.45-1.30'	10YR 4/3	Clayey Sand w/ oyster shell	
	1.30-1.70'	10YR 4/3	Clayey Sand w/ Gravel	
	1.70-2.40'	10YR 7/2 10YR 6/3 10YR 6/6	Clay w/ 30% Clay w/ 30% Clay	
Lot 47 N7990/E8015	0-0.3'	10YR 2/1	Silty Loam w/ very fine Sand	Artifacts
	0.3-.33'	7.5YR5/6	Sand	
	0.33-1.15'	10YR 4/4	Sandy Clay w/ oyster shell	
	1.15-1.45'	10YR 5/8	Sandy Clay	
Lot 48 N7995/E8015	0-0.18'	10YR3/1	Loam w/ gravel	Artifacts
	0.18-.28'	10YR3/2	Silty Loam w/gravel and oyster shell	
	0.28-.50'	10YR 3/2	Sandy Loam w/ oyster shell	
	0.50-.92'	2.5Y 4/2 2.5Y 4/4	Sandy Loam w/ Clay Loam w/ gravel	
Lot 51 East Transect. N7980/E8045	0-0.3'	10YR 3/2	Clay Loam	Artifacts

0.3-0.7'	10YR 4/3 10YR 5/6 10YR 6/4	Clay Loam w/ 15% Clay w/ 10% Sandy Clay
0.7-1.2'	10YR 3/3 10YR 4/4	Sandy Clay Loam w/ Clay Loam and Charcoal
1.2-1.35'	10YR 4/4 7.5YR5/8	Clay Loam w/ Clay
1.35-1.6'	7.5YR5/8 10YR 5/3	Clay w/ 20% Clay
1.6-1.80'	7.5YR5/8	Fine Sandy Clay w/sandstone frags.

Lot 50 N7990/E8045	0-0.45'	10YR 3/3	Silty Clay	Artifacts
			Loam	
	0.45-.60'	10YR 4/3	Silty Clay	
			Loam w/gravel	
	0.60-.75'	-----	Oyster Shell Lens	
	0.75-1.1'	10YR 6/6	Sandy Clay	
	1.1-1.4'	10YR 6/8	Sandy Clay w/ Gravel	

Lot 49 N8000/E8045	0-0.3'	10YR 3/3	Sandy Clay	Artifacts
			Loam	
	0.3-1.3'	2.5Y 6/2 10YR 5/4	Clay w/ Clay	

Lot 52 Cabin Interior
STP #1

0-

Lot 53 STP #2	0-3.31'	10YR 7/6	Dry Silty Clay	Artifacts
---------------	---------	----------	-------------------	-----------